

Publikationer med medförfattare från PRIMA

Transl Psychiatry. 2015 Mar 17;5:e530. doi: 10.1038/tp.2015.22.

Predicting long-term outcome of Internet-delivered cognitive behavior therapy for social anxiety disorder using fMRI and support vector machine learning.

Månsson KN¹, Frick A², Boraxbekk CJ³, Marquand AF⁴, Williams SC⁵, Carlbring P⁶, Andersson G⁷, Furmark T².

¹Division of Psychology, Department of Behavioural Sciences and Learning, Linköping University, Linköping, Sweden.

²Department of Psychology, Uppsala University, Uppsala, Sweden.

³[1] Centre for Population Studies, Ageing and Living Conditions, Umeå University, Umeå, Sweden [2] Umeå Center for Functional Brain Imaging (UFBI), Umeå University, Umeå, Sweden.

⁴[1] Donders Institute for Brain, Cognition and Behaviour, Radboud University, Nijmegen, The Netherlands [2] Department of Neuroimaging, Centre for Neuroimaging Sciences, Institute of Psychiatry, King's College London, London, UK.

⁵Department of Neuroimaging, Centre for Neuroimaging Sciences, Institute of Psychiatry, King's College London, London, UK.

⁶Department of Psychology, Stockholm University, Stockholm, Sweden.

⁷[1] Division of Psychology, Department of Behavioural Sciences and Learning, Linköping University, Linköping, Sweden [2] Psychiatry Section, Department of Clinical Neuroscience, Karolinska Institutet, Stockholm, Sweden.

J Autism Dev Disord. 2015 Nov;45(11):3624-33. doi: 10.1007/s10803-015-2509-3.

Preschoolers with Autism Spectrum Disorder Followed for 2 Years: Those Who Gained and Those Who Lost the Most in Terms of Adaptive Functioning Outcome.

Hedvall Å^{1,2}, Westerlund J³, Fernell E^{4,5}, Norrelgen F^{4,6}, Kjellmer L^{4,6,7}, Olsson MB^{4,8}, Carlsson LH^{4,9}, Eriksson MA^{4,10}, Billstedt E¹¹, Gillberg C⁴.

¹Gillberg Neuropsychiatry Centre, Sahlgrenska Academy, University of Gothenburg, 411 19, Gothenburg, Sweden.

²Department of Psychology, Karolinska University Hospital, Stockholm, Sweden.

³Department of Psychology, Stockholm University, Stockholm, Sweden.

⁴Gillberg Neuropsychiatry Centre, Sahlgrenska Academy, University of Gothenburg, 411 19, Gothenburg, Sweden.

⁵Research and Development Centre, Skaraborg's Hospital, Skövde, Sweden.

⁶Department of Speech and Language Pathology, Karolinska University Hospital, Stockholm, Sweden.

⁷CLINTEC, Division of Speech and Language Pathology, Karolinska Institutet, Stockholm, Sweden.

⁸*PRIMA Child and Adolescent Psychiatry, Stockholm, Sweden.*

⁹Department of Pediatrics, Astrid Lindgren Children's Hospital, Liljeholmen, Stockholm, Sweden.

¹⁰Department of Pediatric Neurology, Karolinska University Hospital, Stockholm, Sweden.

¹¹Gillberg Neuropsychiatry Centre, Sahlgrenska Academy, University of Gothenburg, 411 19, Gothenburg, Sweden.

Neuropsychiatr Dis Treat. 2015 Apr 7;11:999-1005. doi: 10.2147/NDT.S78707. eCollection 2015.

"Recovery" from the diagnosis of autism - and then?

Olsson MB¹, Westerlund J², Lundström S³, Giacobini M⁴, Fernell E⁵, Gillberg C³.

Author information:

¹Gillberg Neuropsychiatry Centre, Institution of Neuroscience and Physiology, Sahlgrenska Academy, Gothenburg University, Gothenburg, Sweden ; *PRIMA Child and Adult Psychiatry, Stockholm, Sweden.*

²Gillberg Neuropsychiatry Centre, Institution of Neuroscience and Physiology, Sahlgrenska Academy, Gothenburg University, Gothenburg, Sweden ; Department of Psychology, Stockholm University, Stockholm, Sweden.

³Gillberg Neuropsychiatry Centre, Institution of Neuroscience and Physiology, Sahlgrenska Academy, Gothenburg University, Gothenburg, Sweden.

⁴*PRIMA Child and Adult Psychiatry, Stockholm, Sweden ; Department of Molecular Medicine and Surgery, Karolinska Institutet, Stockholm, Sweden.*

⁵Gillberg Neuropsychiatry Centre, Institution of Neuroscience and Physiology, Sahlgrenska Academy, Gothenburg University, Gothenburg, Sweden ; Research and Development Centre, Skaraborg's Hospital, Skövde, Sweden.

Res Dev Disabil. 2011 Mar-Apr;32(2):795-800. doi: 10.1016/j.ridd.2010.10.021. Epub 2010 Dec 15.

Sensory abnormalities in autism. A brief report.

Lars Klintwall^a, Anette Holm^{b, c}, Mats Eriksson^{b, d}, Lotta Höglund Carlsson^{b, e}, Martina Barnevik Olsson^{b, f}, Åsa Hedvall^{b, c}, Christopher Gillberg^g, Elisabeth Fernell^{b, g, h, i}.

^a Autism Centre for Young Children, Handicap and Habilitation and Psykologpartners, Stockholm, Sweden

^b Autism Centre for Young Children, Handicap and Habilitation, Stockholm, Sweden

^c Department of Psychology, Karolinska University Hospital, Stockholm, Sweden

^d Department of Neuropediatrics, Astrid Lindgren Children's Hospital, Stockholm, Sweden

^e Department of Pediatrics, Astrid Lindgren Children's Hospital, Stockholm, Sweden

^f *PRIMA, Child and Adolescent Psychiatry*, Stockholm, Sweden

^g Institute of Neuroscience and Physiology, Child and Adolescent Psychiatry, Sahlgrenska Academy and the Gillberg Neuropsychiatry Centre, University of Göteborg, Göteborg, Sweden

^h Unit of Neurodevelopmental Disorders, Skaraborg's Hospital, Mariestad and FoU Centre, Skövde, Sweden

BMJ Open Diabetes Res Care. 2015 Oct 9;3(1):e000120. doi: 10.1136/bmjdr-2015-000120. eCollection 2015.

Diabetes and glucose disturbances in patients with psychosis in Sweden.

Olsson E¹, Westman J², Sudic Hukic D³, Eriksson SV⁴, Edman G⁵, Bodén R⁶, Jedenius E⁷, Reutfors J⁸, Berntsson A⁹, Hilding A¹⁰, Schalling M¹¹, Östenson CG¹⁰, Ösby U⁵.

¹Department of Clinical Neuroscience, Karolinska Institutet, Stockholm, Sweden; Department of Adult Psychiatry, *PRIMA Barn och Vuxenpsykiatri AB*, Stockholm, Sweden.

²Department of Neurobiology, Care Sciences and Society, Centre of Family Medicine, Karolinska Institutet, Stockholm, Sweden.

³Department of Adult Psychiatry, *PRIMA Barn och Vuxenpsykiatri AB*, Stockholm, Sweden; Center for Molecular Medicine, Karolinska University Hospital, Stockholm, Sweden.

⁴Department of Clinical Sciences, Karolinska Institutet, Danderyd University Hospital, Stockholm, Sweden.

⁵Department of Neurobiology, Care Sciences and Society, Centre of Family Medicine, Karolinska Institutet, Stockholm, Sweden; Center for Molecular Medicine, Karolinska University Hospital, Stockholm, Sweden; Department of Psychiatry, Tiohundra AB, Norrtälje, Sweden.

⁶Department of Medicine Solna, Centre for Pharmacoepidemiology, Karolinska Institutet, Stockholm, Sweden; Department of Neuroscience, Psychiatry, Uppsala University, Uppsala, Sweden.

⁷Department of Clinical Neuroscience, Karolinska Institutet, Stockholm, Sweden.

⁸Department of Medicine Solna, Centre for Pharmacoepidemiology, Karolinska Institutet, Stockholm, Sweden.

⁹Department of Adult Psychiatry, *PRIMA Barn och Vuxenpsykiatri AB*, Stockholm, Sweden.

¹⁰Department of Molecular Medicine and Surgery, Karolinska Institutet, Stockholm, Sweden.

¹¹Center for Molecular Medicine, Karolinska University Hospital, Stockholm, Sweden; Department of Molecular Medicine and Surgery, Karolinska Institutet, Stockholm, Sweden.

Prim Care Companion CNS Disord. 2015 Feb 19;17(1). doi: 10.4088/PCC.14m01704. eCollection 2015.

Genetic and Clinical Factors Affecting Plasma Clozapine Concentration.

Olsson E¹, Edman G¹, Bertilsson L¹, Hukic DS¹, Lavebratt C¹, Eriksson SV¹, Ösby U¹.

¹Department of Clinical Neuroscience, Karolinska Institutet, Stockholm, and Department of Adult Psychiatry, *PRIMA Barn och Vuxenpsykiatri AB*, Stockholm (Dr Olsson); Department of Psychiatry, Tiohundra AB, Norrtälje (Drs Edman and Ösby and Ms Hukic); Department of Neurobiology, Care Sciences and Society, Centre of Family Medicine, Karolinska Institutet, Stockholm (Drs Edman and Ösby); Center for Molecular Medicine, Karolinska University Hospital, Stockholm (Drs Edman, Lavebratt, and Ösby); Department of Laboratory Medicine, Division of Clinical Pharmacology, Karolinska Institutet, Stockholm (Dr Bertilsson); Neurogenetics Unit, Department of Molecular Medicine and Surgery, Karolinska Institutet, Stockholm (Drs Hukic and Lavebratt); and Department of Cardiology, Danderyd University Hospital, Karolinska Institutet, Stockholm (Dr Eriksson), Sweden.

Brain Behav Immun. 2016 Jan 25. pii: S0889-1591(16)30019-8. doi: 10.1016/j.bbi.2016.01.019.

In vivo evidence of a functional association between immune cells in blood and brain in healthy human subjects.

Kanegawa N¹, Collste K¹, Forsberg A¹, Schain M¹, Arakawa R¹, Jucaite A¹, Lekander M², Höglund CO³, Kosek E², Lampa J⁴, Halldin C¹, Farde L¹, Varrone A¹, Cervenka S⁵.

¹Department of Clinical Neuroscience, Centre for psychiatry research, Karolinska Institutet, Stockholm, Sweden.

²Department of Clinical Neuroscience, Osher Center for Integrative Medicine, Karolinska Institutet, Stockholm, Sweden.

³Department of Physiology and Pharmacology, Karolinska Institutet, Stockholm, Sweden; Department of Medicine Solna and CMM, Karolinska Institutet and Karolinska University Hospital Solna, Stockholm, Sweden.

⁴Department of Medicine, Rheumatology Unit, Center of Molecular Medicine (CMM), Karolinska Institutet, Stockholm, Sweden.

⁵Department of Clinical Neuroscience, Centre for psychiatry research, Karolinska Institutet, Stockholm, Sweden.

Eur J Nucl Med Mol Imaging. 2016 Jan;43(1):173-83. doi: 10.1007/s00259-015-3149-8.

Test-retest reproducibility of [(11)C]PBR28 binding to TSPO in healthy control subjects.

Collste K¹, Forsberg A², Varrone A², Amini N², Aeinehband S³, Yakushev I^{2,4}, Halldin C², Farde L², Cervenka S².

¹Department of Clinical Neuroscience, Centre for Psychiatry Research, Karolinska Institutet, Stockholm, Sweden.

²Department of Clinical Neuroscience, Centre for Psychiatry Research, Karolinska Institutet, Stockholm, Sweden.

³Department of Clinical Neuroscience, Neuroimmunology Unit, Karolinska Institutet, Stockholm, Sweden.

⁴Department of Nuclear Medicine and TUM Neuroimaging Center (TUM-NIC), Technische Universität München, Munich, Germany.

Transl Psychiatry. 2016 Feb 2;6:e727. doi: 10.1038/tp.2015.218.

Neuroplasticity in response to cognitive behavior therapy for social anxiety disorder.

Månsson KN^{1,2}, Salami A^{3,4}, Frick A⁵, Carlbring P⁶, Andersson G^{1,7}, Furmark T⁵, Boraxbekk CJ^{4,8}.

Author information:

¹Division of Psychology, Department of Behavioural Sciences and Learning, Linköping University, Linköping, Sweden.

²Department of Adult Psychiatry, *PRIMA Barn och Vuxenpsykiatri*, Stockholm, Sweden.

³Department of Neurobiology, Care Sciences and Society, Aging Research Center, Karolinska Institutet, Stockholm, Sweden.

⁴Umeå Center for Functional Brain Imaging, Umeå University, Umeå, Sweden.

⁵Department of Psychology, Uppsala University, Uppsala, Sweden.

⁶Department of Psychology, Stockholm University, Stockholm, Sweden.

⁷Department of Clinical Neuroscience, Psychiatry Section, Karolinska Institutet, Stockholm, Sweden.

⁸CEDAR, Center for Demographic and Aging Research, Umeå University, Umeå, Sweden.

J Med Internet Res. 2015 Feb 16;17(2):e46. doi: 10.2196/jmir.3497.

Training with virtual patients in transcultural psychiatry: do the learners actually learn?

Pantziaras I¹, Fors U, Ekblad S.

¹Cultural Medicine Unit, Department of Learning, Informatics, Management and Ethics (LIME), Stockholm, Sweden.

PLoS One. 2015 Mar 20;10(3):e0119754. doi: 10.1371/journal.pone.0119754. eCollection 2015.

Innovative training with virtual patients in transcultural psychiatry: the impact on resident psychiatrists' confidence.

Pantziaras I¹, Fors U², Ekblad S¹.

¹Cultural Medicine Unit, Department of Learning, Informatics, Management and Ethics (LIME), Karolinska Institutet, Stockholm, Sweden.

²Department of Computer and Systems Sciences, Stockholm University, Stockholm, Sweden.

Eur Child Adolesc Psychiatry. 2015 Nov 19. [Epub ahead of print]

The objectivity of the Autism Diagnostic Observation Schedule (ADOS) in naturalistic clinical settings.

Zander E^{1,2,3}, Willfors C^{4,5}, Berggren S^{4,5}, Choque-Olsson N^{4,5,6}, Coco C^{4,5,7}, Elmund A^{8,9}, Moretti ÅH¹⁰, Holm A¹¹, Jifält I^{12,13}, Kosieradzki R^{14,15}, Linder J¹⁶, Nordin V⁷, Olafsdottir K¹⁷, Poltrago L⁸, Bölte S^{4,5}.

Author information:

¹Pediatric Neuropsychiatry Unit, Department of Women's and Children's Health, Center of Neurodevelopmental Disorders (KIND), Karolinska Institutet, Gävlegatan 22B, 113 30, Stockholm, Sweden.

²Child and Adolescent Psychiatry, Center for Psychiatry Research, Stockholm County Council, Stockholm, Sweden.

³Neurodevelopmental Psychiatry Unit South East, Child and Adolescent Psychiatry, Stockholm County Council, Stockholm, Sweden.

⁴Pediatric Neuropsychiatry Unit, Department of Women's and Children's Health, Center of Neurodevelopmental Disorders (KIND), Karolinska Institutet, Gävlegatan 22B, 113 30, Stockholm, Sweden.

⁵Child and Adolescent Psychiatry, Center for Psychiatry Research, Stockholm County Council, Stockholm, Sweden.

⁶BUP Södertälje, Child and Adolescent Psychiatry, Stockholm County Council, Södertälje, Sweden.

⁷Neuropediatric Unit, Sachs' Children and Youth Hospital, Stockholm County Council, Stockholm, Sweden.

⁸*PRIMA Child and Adolescent Psychiatry*, Stockholm, Sweden.

⁹Citypsykiologhus, Stockholm, Sweden.

¹⁰BUP Sollentuna, Child and Adolescent Psychiatry, Stockholm County Council, Sollentuna, Sweden.

¹¹Astrid Lindgrens Children's Hospital, Karolinska University Hospital Solna, Stockholm County Council, Solna, Sweden.

¹²Astrid Lindgrens Children's Hospital, Karolinska University Hospital Huddinge, Stockholm County Council, Huddinge, Sweden.

¹³Pupil Health Unit, Tiohundra, Norrtälje, Sweden.

¹⁴BUP Malmö, Child and Adolescent Psychiatry, Region Skåne, Malmö, Sweden.

¹⁵Pupil Health Unit, Resource Team for Learning Disabled, City of Malmö, Sweden.

¹⁶Södra Älvsborg Hospital (SÄS), Child and Adolescent Psychiatry, Region Västra Götaland, Borås, Sweden.

¹⁷BUP Lund, Child and Adolescent Psychiatry, Region Skåne, Lund, Sweden.

Twin Res Hum Genet. 2014 Jun;17(3):164-76. doi: 10.1017/thg.2014.12. Epub 2014 Apr 15.

The Roots of Autism and ADHD Twin Study in Sweden (RATSS).

Bölte S¹, Willfors C¹, Berggren S¹, Norberg J¹, Poltrago L¹, Mevel K¹, Coco C¹, Fransson P², Borg J¹, Sitnikov R³, Toro R⁴, Tammimies K¹, Anderlid BM⁵, Nordgren A⁵, Falk A⁶, Meyer U⁷, Kere J⁸, Landén M⁹, Dalman C¹⁰, Ronald A¹¹, Anckarsäter H¹², Lichtenstein P¹³.

¹Center of Neurodevelopmental Disorders at Karolinska Institutet, Pediatric Neuropsychiatry Unit, Department of Women's and Children's Health, Karolinska Institutet, Stockholm, Sweden.

²Department of Clinical Neuroscience, Karolinska Institutet, Stockholm, Sweden.

³MRI Research Center, Neuroradiology Clinic, Karolinska University Hospital, Stockholm, Sweden.

⁴Human Genetics and Cognitive Functions, Institut Pasteur, Paris, France.

⁵Department of Clinical Genetics, Karolinska University Hospital, Stockholm, Sweden.

⁶Department of Neuroscience, Karolinska Institutet, Stockholm, Sweden.

⁷Physiology and Behavior Laboratory, Swiss Federal Institute of Technology (ETH) Zurich, Switzerland.

⁸Department of Biosciences and Nutrition, Karolinska Institutet, Huddinge, Sweden.

⁹Section of Psychiatry and Neurochemistry, Sahlgrenska Academy, Gothenburg, Sweden.

¹⁰Public Health Epidemiology, Department of Public Health Sciences, Karolinska Institutet, Stockholm, Sweden.

¹¹Centre for Brain and Cognitive Development, Department of Psychological Sciences, Birkbeck, University of London, London, UK.

¹²Neuroscience and Physiology, Forensic Psychiatry, University of Gothenburg, Gothenburg, Sweden.

¹³Department of Medical Epidemiology and Biostatistics, Karolinska Institutet, Stockholm, Sweden.

International Journal of Developmental Disabilities, Vol. 60 No. 3, July, 2014, 163–173

On the role of non-shared environment for executive functioning in ADHD: a twin-differences design study
Charlotte Willfors¹, Lina Poltrago^{1,2}, Steve Berggren^{1,3}, Christina Coco³, Henrik Anckarsäter⁴, Paul Lichtenstein⁵, Angelica Ronald⁶ and Sven Bölte^{1,3}

¹Center of Neurodevelopmental Disorders at Karolinska Institutet, Pediatric Neuropsychiatry Unit, Department of Women's and Children's Health, Karolinska Institutet, Sweden,

²*Prima Barn- och Vuxenpsykiatri AB*, Sweden,

³Division of Child and Adolescent Psychiatry, Stockholm County Council, Sweden,

⁴Neuroscience and Physiology, Forensic Psychiatry, University of Gothenburg, Sweden,

⁵Department of Medical Epidemiology and Biostatistics, Karolinska Institutet, Sweden,

⁶Birkbeck University of London, Department of Psychological Sciences, UK

Atten Defic Hyperact Disord. 2015 Sep 26.

Structured skills training for adults with ADHD in an outpatient psychiatric context: an open feasibility trial.

Morgensterns E¹, Alfredsson J², Hirvikoski T^{3,4}.

¹Department of Women's and Children's Health, Pediatric Neuropsychiatry Unit, Center for Neurodevelopmental Disorders at Karolinska Institutet (KIND), Karolinska Institutet, CAP Research Center, Gävlegatan 22, 113 30, Stockholm, Sweden.

²*PRIMA Neuropsychiatry*, Stockholm, Sweden.

³Department of Women's and Children's Health, Pediatric Neuropsychiatry Unit, Center for Neurodevelopmental Disorders at Karolinska Institutet (KIND), Karolinska Institutet, CAP Research Center, Gävlegatan 22, 113 30, Stockholm, Sweden.

⁴Habilitation and Health, Stockholm County Council, Stockholm, Sweden.

F1000Res. 2015 Oct 15;4:1073. doi: 10.12688/f1000research.7198.1. eCollection 2015.

Leukocyte telomere length and hippocampus volume: a meta-analysis.

Nilsson G¹, Tamm S¹, Månsson KN², Åkerstedt T¹, Lekander M¹.

¹Stress Research Institute, Stockholm University, Stockholm, Sweden ; Department of Clinical Neuroscience, Karolinska Institutet, Stockholm, Sweden.

²Department of Behavioural Sciences and Learning, Linköping University, Linköping, Sweden ; *PRIMA Psychiatry, Stockholm*, Sweden.

J Atten Disord. 2014 Nov 5. pii: 1087054714554617.

Prevalence, Patient Characteristics, and Pharmacological Treatment of Children, Adolescents, and Adults Diagnosed With ADHD in Sweden.

Giacobini M¹, Medin E², Ahnemark E³, Russo LJ⁴, Carlqvist P⁵.

Author information:

¹*PRIMA Barn och Vuxenpsykiatri AB*, Stockholm, Sweden.

²LIME/Karolinska Institutet, Stockholm, Sweden PAREXEL, Stockholm, Sweden.

³Shire, Danderyd, Sweden.

⁴Shire, Wayne, PA, USA.

⁵PAREXEL, Stockholm, Sweden

Clin Neuropharmacol. 2010 Sep-Oct;33(5):260-4. doi: 10.1097/WNF.0b013e3181ebb285.

Efficacy and safety of the dopaminergic stabilizer Pridopidine (ACR16) in patients with Huntington's disease.

Lundin A¹, Dietrichs E, Haghighi S, Göller ML, Heiberg A, Loutfi G, Widner H, Wiktorin K, Wiklund L, Svenningsson A, Sonesson C, Waters N, Waters S, Tedroff J.

Author information:

¹*Prima Psychiatry*, Danderyd Hospital, Stockholm, Sweden.

Läkartidningen. 2010 Apr 28-May 4;107(17):1166.

[Beginning of life and the Catholic church. The unsolved conflict in separate worlds].

[Article in Swedish]

Nordgren I¹.

¹*Prima Vuxenpsykiatri, Mörby.*

Läkartidningen. 2010 Mar 24-30;107(12):848-9.

[What is a human being, then?].

[Article in Swedish]

Nordgren I¹.

¹*Prima Vuxenpsykiatri, Mörby.*